

Advancing Environmental Solutions

# Sustainable Resilient Remediation Training (SRR-1)

Use "Join Audio" option in lower left of Zoom webinar to listen to webinar Problems joining audio? Please call in manually



This Photo by Unknown Author is licensed under <u>CC BY-SA-NC</u>

Dial In 301 715 8592 Webinar ID: 841 9580 5978#



**Sponsored by**: Interstate Technology and Regulatory Council (<u>www.itrcweb.org</u>) **Hosted by**: US EPA Clean Up Information Network (<u>www.clu-in.org</u>)

# Housekeeping

Recording for On Demand Viewing

- Course Information and Materials: <u>https://clu-in.org/conf/itrc/srr</u>
- Technical difficulties? Use Q&A Pod

### Certificate of Course Completion









# ITRC – Shaping the Future of Regulatory Acceptance

- Host Organization
- ▶ Network All 50 states, PR, DC ECOS
- Federal Partners

**Community Stakeholders** 

Academia



DOD

**EPA** 

- ► Disclaimer
  - https://srr-1.itrcweb.org/aboutitrc/#disclaimer
  - Partially funded by the US government
    - ITRC nor US government warranty material
    - ITRC nor US government endorse specific products
- ▶ ITRC materials available for your use – see usage policy










facebook.com/ Itrcweb







# Today's SRR Trainers:



John Doyon (Co-Team Leader) NJ Dept. of Environmental Protection john.doyon@dep.nj.gov



Jessica Gattenby Arcadis jessica.gattenby@arcadis.com



#### Thomas O'Neill

Retired (NJ Dept. of Environmental Protection) <u>tkoneillnj@gmail.com</u>



Michelle Mullin U.S. EPA mullin.michelle@epa.gov





# **¥** Introduction

Resources, Background & Value of SRR Economic & Social Benefits Integrating SRR Sustainable Best Management Practices



# Sustainable Resilient Remediation

Sustainable resilient remediation (SRR) is an optimized solution to cleaning up and reusing a hazardous waste site that limits negative environmental impacts, maximizes social and economic benefits, and creates resilience against increasing threats.



# Introduction

- Update of ITRC's Green and Sustainable Remediation: A Practical Framework (ITRC 2011a)
- Includes strong resilience component –increasing threat of extreme weather events, sea-level rise, & wildfires.
- Recommends consideration of social and economic costs & benefits of a cleanup along with environmental costs & benefits.



**Technical/Regulatory Guidance** 

Green and Sustainable Remediation: A Practical Framework



November 2011

Prepared by The Interstate Technology & Regulatory Council Green and Sustainable Remediation Team




# Why Sustainable Resilient Remediation

Extreme Weather Increasing in Frequency & Magnitude:

- Flooding
- Hurricanes
- Tornadoes
- Droughts
- Wildfires
- Sea Levels Rising
- Inundation
- Erosion









# Contaminated Site Impacted by Climate Change

### ► Impacting Sites

- Flooding
- Fires
- Power outages
- Wind damage



Photos courtesy of Thomas O'Neill




## Solutions – Sustainable Resilient Remediation

#### Address Cause – Sustainability



Address Result - Resilience






#### Answers to frequently asked questions (FAQs) about SRR

#### Table 2-1. The value of SRR and references to case studies reflective of answers.

FAQ	Answer	Case Study Match(es)*
Do sustainable and resilient remedies improve long-term risk management?	Yes. Practitioners identify project risks not normally considered. Sustainable risk management includes emissions mitigation and community revitalization. Resilient risk management maximizes adaptive capacity to changing climatic conditions.	Santa Susana Field Laboratory, Area IV—used cost/risk reduction tools. Senator Joseph Finnegan Park used risk management in determining remedy scope that limits long-term risk.



#### State Survey Summary: Conducted Fall 2019





Online map with links to available state & federal resources to quickly find examples & best practices

#### **Sustainable Resilient Remediation**

#### 4. State Resource Map


The state resources map provides a way to locate information specific to each state. This section provides fingertip access to the building blocks of SRR, showcasing state and federal programs from around the United States.





HOME


Expanded information on resources for social & economic dimensions of sustainability . . . . . . . . . . . . . . . . . . . Define Purpose



#### **Conceptual Stakeholder Assessment Road Map**

Stage Two

Perform Process



......

Tension and

Conflict

investigation/

Resolution



Stage Three

Ongoing

........


Tension and

Conflic:

Investigation/

Resolution

An updated framework that illustrates how and why sustainability and resilience should be integrated throughout the remedial project life cycle





#### ► Appendix D. Sustainable Best Management Practice Checklists

А	В	C D	E	F	G	1
APPLIC Y v	CABLE?	COMPLETE?	Extreme Event or Impact	SBMP	Description	Τ.
Y			Universal	Whenever possible use green infrastructure and natural solutions such as native plantings over impervious, man-made solutions. Green infrastructure and natural solutions are typically more resilient. Native plantings should be native to the existing climate with tolerances for the types of climate events the site is likely to experience in the near future.	Remedy Design and Implementation	
Y	N		Universal	Generate primary or secondary power from on-site renewable resources independent of the utility grid. It is important to note that during extreme climate scenarios, even green infrastructure may not be sufficiently resilient to withstand weather extremes.	Remedy Design and Implementation	
			Universal	Integrate electronic devices for remote control of equipment during extreme weather or wildfires.	Remedy Design and Implementation	
	Ň		Universal	Integrate sensors linked to electronic control devices to trigger either shutdown of equipment or an alarm to alert workers to shut down equipment.	Remedy Design and Implementation	
Y			Universal	Move or locate remedy components away from potential danger zones (USEPA 2013).	Remedy Design and Implementation	
Ý			Universal	Stormproof infrastructure by repairing, retrofitting, or relocating facilities and equipment to prevent damage and disruptions during extreme weather or wildfire events.	Remedy Design and Implementation	
			Universal	Document SBMPs implemented in completion reports.	Remedy Design and Implementation	
Y			Universal	Evaluate the performance of the SBMPs in place following an extreme event	Operation, Maintenance & Monitoring	5
Υ			Universal	Include maintenance of the SBMPs in the site OM&M Plan and evaluate that the SBMPs are properly maintained	Operation, Maintenance & Monitoring	5
Υ			Universal	Regularly update the vulnerability assessment and adapt SBMP implementation to match any changing site conditions	Operation, Maintenance & Monitoring	5
			1999 - 199	Review the CSM on a defined and regular basis to determine if adaptations to remedy design and	0	



Case studies illustrating the application of SRR considerations



Bellingham Waterfront, Bellingham, Washington



• Economic/social/environmental balance at local level

- Risk management implementation (use more relevant local information)
- Demonstrated value from SRR techniques
- Research & focus on adaptive capacity
- Metrics development to track progress SRR actions & goals
- Guidance/standardized methods for conducting vulnerability assessments
- Case studies of intentional resiliency implementation
- Periodic site reviews that include an evaluation of resiliency
- Greater focus on SRR in site design phase



Future

Recommendations



### Introduction

# **\*** Resources, Background & Value of SRR

### Economic & Social Benefits Integrating SRR Sustainable Best Management Practices



See Section 1 Introduction of the SRR Webpage Document

# **SRR** Resources

- Frequently Asked Questions (FAQs) Section 2
- Case Studies
  - Case Study Matrix Section 2 and Appendix A
  - Advancing the Practice: Social and Economic Dimensions of Sustainability and Resilience Section 5
- ► Tech Sheets for Selected State Resources Section 3 and Appendix C
- State Resources Map Section 4
- Sustainable Resilience Remediation Framework Section 6
- Sustainable Best Management Practice Checklist Section 7 and Appendix D

#### Use Resources to Learn and Navigate



# SRR Resources – State Resources Map (Section 4)

- ► Climate Resilience
- ► Green and Sustainable Remediation (GSR)
- ► Wildfire Resilience
- ► Examples of the information you will find:
  - Laws and regulations
  - Executive orders (EOs) state and federal
  - Policy and guidance
  - Other resources
  - State case studies
  - Federal resources

#### Sustainable Resilient Remediation

#### 4. State Resource Map

The state resources map provides a way to locate information specific to each state. This section provides fingertip access to the building blocks of SRR, showcasing state and federal programs from around the United States.



#### Figure 4-1. Interactive State Resource Map



**Click to submit!** 



 7. Key Sustainable Best Management Practices for
 Sustainable Resilience to Extreme Weather Events



The state resources map provides a way to locate information specific to each state. This section provides fingertip access to the building blocks of SRR, showcasing state and federal programs from around the United States.



Key to State Resources Laws and Regulations (Statutes, Regulations, Rules) Executive Order Policy/Guidance Resources (Plans and Strategies, Reports, Websites) Case Study



Key to State Resources	
Laws and Regulations (Statutes, Regulations, Rules)	
Executive Order	
Policy/Guidance	$\diamond$
Resources (Plans and Strategies, Reports, Websites)	
Case Study	

Figure 4-1. Interactive State Resource Map

Source: ITRC SRR Team





Figure 4-1. Interactive State Resource Map Source: ITRC SRR Team





Figure 4-1. Interactive State Resource Map Source: ITRC SRR Team






Figure 4-1. Interactive State Resource Map Source: ITRC SRR Team



Wildfire Resilience	
Federal Resources	J

Figure 4-1. Interactive State Resource Map Source: ITRC SRR Team





Figure 4-1. Interactive State Resource Map Source: ITRC SRR Team



### **New Jersey**

#### **Sustainable and Resilient Remediation**

#### Regulation / Statute

Remediation legislation approved in 2019 that establishes in law that the NJDEP shall encourage the use of green and sustainable practices during site remediation.

https://www.njleg.state.nj.us

https://www.njleg.state.nj.us/2018/Bills/AL19/263\_.PDF



### SRR Resources – Case Studies

#### Case Studies in <u>Section 5</u>: Advancing the Practice: Social and Economic Dimensions of Sustainability and Resilience

#### Harrison Avenue Landfill/Cramer Hill Waterfront Park Project Camden, New Jersey



Figure 5-9. Conceptual graphic of the waterfront park Source: <u>www.nj.gov/dep/nrr/cramer-hill.htm</u>






Figure 6-1. SRR framework. Source: ITRC SRR Team



Resilience and Sustainability integration throughout each stage of the Remedial Project Life Cycle




Figure 6-1. SRR framework. Source: ITRC SRR Team




Return to Framework

6.1.2 Stakeholder Engagement

The social dimension of SRR includes consideration of critical stakeholder needs and concerns (often called stakeholder values). In this context, site-specific objectives, goals, and processes for an SRR assessment are informed by multiple stakeholder values (<u>Cundy et al. 2013</u>). Project stakeholders can include emergency personnel, utility providers, and hazardous waste management specialists (<u>Kumar and Reddy 2020</u>). Transforming sustainable, resilient benefits and mitigating unintended impacts to environmental justice (<u>Section 5.2</u>) and other underserved communities are core components of SRR risk management (<u>Section 6.1.6</u>).



6.1.2 Stakeholder Engagement



The social dimension of SRR includes consideration of critical stakeholder needs and concerns (often called stakeholder values). In this context, site-specific objectives, goals, and processes for an SRR assessment are informed by multiple stakeholder values (Cundy et al. 2013). Project stakeholders can include emergency personnel, utility providers, and hazardous waste management specialists (Kumar and Reddy 2020). Transforming sustainable, resilient benefits and mitigating unintended impacts to environmental justice (Section 5.2) and other underserved communities are core components of SRR risk management (Section 6.1.6).





#### Case Study Matrix Section 2; Appendix A

#### Frequently Asked Questions Section 2.2

#### Tech Sheets Appendix C

### **Sustainable BMP Checklists**

Section 7; Appendix D



# SRR Resources Summary

- Frequently Asked Questions
- ► Case Studies
- ► Tech Sheets for Selected State Resources
- State Resources Map
- Sustainable Resilience Remediation Framework (3)
- Sustainable Best Management Practice Checklists (Section 7 and Appendix D)



State Resource Map





	CRAMER H	ONCEPTUAL PLAN	ONT PARK	Semith
	Spall Press			
and the second s	10	1.1	Destanting 1	
P .	Sugar	Y	Sila	
1- 2				
7		20	Contraction of the	A PORT
Contractory and the second	27/			100
and I'm	1	Stat In	NAME AND ADDRESS OF	and the



#### SRR Guidance Document

#### 36

(Section 2)

(Section 2; Appendix A, and Section 5.10)

(Section 3 and Appendix C)

(Section 4)

(Section 6)


# SRR – History, Importance and Value

- Background, Context, History
- Extreme Weather Events, Sea-Level Rise, & Wildfires
  - Impacts to integrity of environmental remediation solutions and, in turn, the public health and environment of the surrounding communities
- Case Study Matrix
- Frequently Asked Question (FAQs) Answers

### Use SRR Value to Educate Others



## **Evolution of Environmental Remediation to SRR**





**Document Figure 2-1. Evolution of environmental remediation to SRR.** *Source: Adapted from Ellis and Hadley (2009).* 

### Start of Sustainable and Resilient Remediation





 Start of Sustainable and Resilient Remediation
 USEPA (2008): <u>Green Remediation: Incorporating</u> <u>Sustainable Practices into Remediation of Contaminated</u> <u>Sites</u>







Sustainable Remediation Forum (SURF) (2009) Integrating Sustainable Principles, Practices, and Metrics into Remediation Projects



Sustainable Remediation White Paper—Integrating Sustainable Principles, Practices, and Metrics Into Remediation Projects

David E. Ellis

Paul Q. Hadley

#### 1.0 INTRODUCTION

The remediation is during was been in the late 157.06, following to tearly arrows of highly produced discoveries of tears themenia is usefulfilly, strating water, and even angularithodi. The powerment responded to three discoveries of neutrimonial economics, how were pared at the nate and national local, and programs were tracted within environmental requirements to overse, and constitutes find the elements to the restored and the national local water, and the national local discovery generics to overse, and comparisons, and including elements. The remeasivity is industry was effect a sprint bulkery it had hereaft to evolution to evolution industry was effect as a sprint bulkery it had hereaft to evolution.

With the public summers for avoit and accurations immediate elevanque, responsible particles and the remerkinition and analysis of heavily in energy-submarker engineered projects, such as groundwater pump-and-treak systems, will removie and off-late dispetal, inclusivelysis, and the public's attitude was not no scenarge could be initiated over, enough to implemented fast enough.

While star everyy-intenses remeaking systems are well intensed, day gunerally have use relative interpolate about places (2000). Thus, many intensive ingravited parentse large analysemetry overcome the sorie

event when recovering contaminants from the environment discreted and mixture. An a result, most engineered mining reach a sectoria concentration and go no further added. The convergence that was be reached in often far

OSURF SUSTAILABLE PERFECTATION FORM

C InterScience

 $\gtrsim 200$  ,  $\le$  factors for State from Figure 1. Second and Figure 1. Second and the first the theory of the 1.2 MeV and 2.2 MeV

, a growing budy of information suggests that ploted elimite a lead fire, are not conserved dissible reference into the the broatier variationmental industry, remedia use experiences of how herdward anywhere of the second second control of

every science-i remetation systems to global climate charge. For example, at ent remediation project in New Jenzy, it was estimated that the difference between two proposed semetics would be to legate 2 percent of the annual premissive gas emissions

samples a pass. Harmines of a string DO-15 (1990an 2020)



PERSONAL AND A CONTRACT OF A C

Technology Overview Document: Green and Sustainable Remediation: State of the Science and Practice (May 2011)

 Technical and Regulatory Guidance: Green and Sustainable Remediation: <u>A Practical Framework</u> (November 2011)





# Why is SRR valuable?

"...60% of all nonfederal NPL sites are in areas that may be impacted by flooding, storm surge, wildfires, and/or sea-level rise." GAO, 2019

- Resilience measures have favorable economic returns on investment (NIBS 2018)
- Environmental impacts can add costs to the clean up
- Social impacts include the need to spend more after environmental impacts to restore communities to whole



## Importance and Value – Case Studies

### ► What you will find in the case studies:

- Name, Location
- Overview of remediation activities
- Elements of SRR performed at that site
- Offset/avoidance achieved
- Tools used to support SRR work
- References and links
- Regulatory program(s)

Shirifonic	<b>T</b>
<mark>2</mark> ↓ <u>S</u> ort A to Z	
Z Sort Z to A	
Sheet <u>V</u> iew	>
Clear Filter From "SRR Profile"	
Text <u>F</u> ilters	> Appondix A Caso Studios
Search (Select All) S2.5 million for site cleanup throu (1) Conduct quantitative analysis A site-specific risk assessment ide Alternative energy, in situ remedi Alternative energy, in situ remedi Amended tailings-impacted soil BMPs for beneficial reuse of treat Clean-up reused materials in new Cancel	
Amended tailings-impacted soil BMPs for beneficial reuse of treat Clean-up reused materials in new	

SRR Drofile

### Importance and Value

### **SRR IS Important & HAS Value**

- Making sure that remediation is successful
- Ensuring that valuable resources are not wasted by poor planning
- Promoting social and economic benefits

"...sustainability considers the remedy's impact on the environment, resilience considers the environment's impact on the remedy..." ITRC, SRR-1





### Introduction Resources, History & Value of SRR Social & Economic Evaluations & Benefits Integrating SRR Sustainable Best Management Practices



### Understand the Social & Economic Dimensions of SRR

- Social & economic impacts of remediation on communities
- Environmental justice
- Outcomes linked to metrics or progress indicators
- Sustainability & resilience into brownfield sites
- Social & economic SRR evaluations
- Ecosystem services
- Case studies


### Use Metrics & Indicators to Document

Sustainable resilient remediation is an optimized solution to cleaning up and reusing contaminated sites that, among other things, maximizes social and economic benefits.



Section 5: Advancing the Practice

### The Three Pillars of Sustainability



#### Courtesy of USEPA



### Considering Social & Economic Impacts of Remediation on Communities

- SRR is more than an environmental concept that asks us to be efficient with resources
- ▶ Project teams must also consider the impacts of the cleanup on communities
- ► SRR requires the:
  - Gathering of community data as well as environmental data
  - Consideration how a site or its cleanup might differently affect different communities
  - Balance among the three pillars of sustainability (environmental, social, & economic)



## Stakeholder Engagement




Figure 5-5. Conceptual stakeholder assessment road map. Source: Ridsdale and Harclerode

(2019). Used with permission.



### **PROJECT LIFE CYCLE**

### **Environmental Justice**

The fair treatment and meaningful involvement of all people regardless of race, color, national origin, or income, with respect to the development, implementation, and enforcement of environmental laws, regulations, and policies.



### Fair Treatment


### Meaningful Involvement



### EJ Screen

### ► USEPA EJ Screen: <u>https://www.epa.gov/ejscreen</u>





Section 5.2: Special Considerations for Low-Income and Minority Communities



## State Environmental Justice Resources Examples

California: <u>CalEnviroScreen 3.0</u>, <u>California Office of Environmental</u> <u>Health Hazard Assessment</u>

Maryland: <u>MD EJScreen</u>, <u>Community Engagement, Environmental</u> Justice, & Health

Washington: Washington Tracking Network, Washington State Department of Health

New Jersey: <a href="https://www.nj.gov/dep/ej/">https://www.nj.gov/dep/ej/</a>



# Social and Economic Evaluations Levels

### Level 1 (Sustainable Best Practices):

Adopt and incorporate those social and economic BMPs that promote quality-of-life improvements and mitigate unintended impacts that directly affect the community and indirectly affect broader society.

#### Level 2:

Combines the selection and implementation of SBMPs with some degree of qualitative or semi-quantitative evaluation.

Level 3: Combines the selection and implementation of SBMPs with a rigorous quantitative evaluation. Both Level 2 & 3 assess how site cleanup and restoration activities may result in beneficial or unintended social, economic, and environmental impacts.



### Social and Economic Evaluations for SRR





## Social and Economic Evaluations for SRR

# Level 2 Evaluation

Combines selection & implementation of SBMPs with some qualitative or semiquantitative evaluation



## Social and Economic Evaluations for SRR

# Level 3 Evaluation


Combines selection & implementation of SBMPs with rigorous quantitative evaluation



# Linking Desired Outcomes to Metrics

- Develop cleanup/remedial options that fit the needs of:
  - Site conditions
  - Site reuse
  - Community concerns
- Examples include:
  - Addressing contamination that poses a risk to human health or the environment
  - Incorporating resilient technologies that addresses and even mitigates future impacts of climate change
  - Addressing contamination that migrates off site
  - Developing remedy options that allow for sustainable reuse





## Brownfields: Incorporating Sustainability & Resilience

- ▶ Redevelopment can lead to healthier more economically secure communities.
- Can play important role in addressing climate change threats and strengthening the community by incorporating sustainability and resiliency into the remediation and redevelopment processes.
- The <u>Climate Smart Brownfield Manual</u> is one resource that provides a comprehensive approach for communities to think about climate mitigation, adaptation, and resilience for the redevelopment of Brownfields.



### **Ecosystem Services**

All the processes and outputs provided by nature:

- Provisioning services (food, fuel, water)
- Regulating services (air quality, fresh water)
- Supporting services (soil formation, photosynthesis)
- Cultural services (recreation and tourism)



### Ecosystem System Services, cont.

- ES can provide a profound enhancement to any assessment because they bridge the ecosystem-human health divide
- Incorporating ES into the ecological risk assessment process has the potential to improve the environmental and socio-economic outcomes of contaminated site cleanup
- Over the last three years, one of EPA's priorities was to focus on incorporating ES into remediation, restoration, and revitalization of degraded areas.



### Ecosystem Services, cont.

To that end, a workgroup of EPA's Ecological Risk Assessment Forum prepared a report that:

- ► (1) introduces EPA's ES-based concepts and tools;
- (2) explores potential ways to incorporate ES in ecological risk assessments at contaminated site investigations; and
- (3) uses a hypothetical case study to delineate how ES-based tools can be used and/or support measurement and assessment endpoints that are incorporated in the ecological risk assessments of hazardous site investigations.



### Ecosystem Services, cont.

- Ecosystem services assessment tools help you describe, quantify, and sustain the benefits nature offers humans and weigh the impact of decisions.
- ► EPA's tool portal helps select the best tools for your scenario.
- ► EPA's Ecosystem Services (ES) Tool Selection Portal: <u>https://d1fdbfnpwly4te.cloudfront.net/paths</u>
- Operationalizing Ecosystem Services Endpoints and Assessment Tools for Supporting Risk Assessments in Contaminated Site Cleanups:
  - https://cfpub.epa.gov/si/si\_public\_file\_download.cfm?p\_download\_id=546731&Lab=CPHEA




# Case Study: Phoenix Park (Camden, New Jersey)



Before






#### Photos Courtesy of the NJDEP





# Case Study: Bellingham Bay, Washington



#### Courtesy of Washington State Department of Ecology



# Case Study: Bellingham Bay, Washington



Before

Courtesy of Washington State Department of Ecology

#### **Cleanup Areas** Stabilization Basin (ASB **Pulp and** Tissue Mill Chilor-Alkali Bellingham Bay Cleanup Site Sources Esri, HERE, Gai USGS, Intern ECOLOGY 0.1 Miles August 2018/Aerfal (m



After



#### Section 5.10: Case Studies

# Case Study: Bellingham Bay, Washington



### Before


### Waypoint Park

After

Courtesy of Washington State Department of Ecology

















# Questions?

Please use the Q&A Pod to submit questions.







### Introduction Resources, History & Value of SRR Social & Economic Evaluations & Benefits Integrating SRR Sustainable Best Management Practices




# Integrating SRR Key Concepts





### SRR Integration throughout each stage of the Remedial Project Life Cycle




ENVIRONMENTAL RESEARCH

### Project Planning – starts with the SRR Conceptual Site Model



- Seeks stakeholder engagement
- Integrates threats and stakeholder concerns into remedy
- Updated throughout remedy implementation




**CSM** is the heart of the project



### SRR Conceptual Site Model





### ► The SRR CSM is:

Figure 6-4. SRR CSM.

- Built with end use in mind
- Incorporates climate and wildfire data
- Adapts as site-specific challenges are discovered
- Incorporates environmental, economic and social benefits
- Results in a solution that is resilient and sustainable

#### **RESOURCES:**

<u>SRR State Resource Map</u> <u>U.S. Climate Resilience Toolkit</u> <u>Environmental Footprint Analysis Spreadsheet</u> SiteWise



## Climate Change Factors for the SRR CSM

### **Table 7-1**. Relevant SBMPs based on climate change factors.

	Sustainable Best Management Practice											
Climate Change Factor	General	Wind	Snow and Hail	Groundwater Levels	Flooding	Bank and Shoreline Erosion	Post Wildfires	Pre-Wildfires	Sea-Level Rise	Evapotranspiration	Storm Surge	Permafrost
Changes in Precipitation												
Increased	х		х	х	х	х			х		х	
Decreased	х			х			x	x		х		
Changes in Temperature												
Increased	х						х	x	х			
Decreased	х		х									х
Changes in Water Table Level												
Increase	х			х	х				х		х	
Decrease	х			х								
Other												
Increased Frequency or Intensity of Storms	х	х	х		х		х	x			х	



## SRR Stakeholder Engagement

### Stakeholder values consideration

### Planning Stage:

- Stakeholder roadmap
- Purpose and process for engagement
- SMART SR objectives
- How SR will be measured and achieved
- Remedy impact on social and economic factors




**PROJECT PLANNING** 

Source: ITRC Risk Communication Toolkit



SITE CLOSEOUT

### SRR Levels of Evaluation: Determine what is the appropriate level for your project



INTERSTATE

INSTITUTE OF THE STATE

Increasing level of evaluation:

**PROJECT PLANNING** 

- Qualitative
- Semi-quantitative
- Quantitative

### Site Characterization: Additional SRR Considerations



### Collect data on extreme weather and wildfires

Collect data for resilient remedy design



Incorporate site vulnerability and risk assessments



SITE CHARACTERIZATION



Incorporate local and regional climate data into CSM



Collect data to evaluate vulnerability to climate change and extreme weather during the remedial action and long-term site management



Assess vulnerability and identify data gaps to achieve robust vulnerability assessment



Reevaluate vulnerabilities/data gaps as remedy becomes more clear



## **Remedy Planning Phase**

Overall goal = meet Remedial Action Objectives (RAOs)


- For SRR: select remedies with low impact that attain RAOs and align with stakeholder, community and economic developments needs
- ► All remedies should be effective and resilient short- and long-term
- Best opportunity to create lasting SRR influence



**REMEDY PLANNING** 

REMEDIAL EVALUATION AND SELECTION

## Implementing SRR: Remedy Planning



### Incorporating SRR into Remedy Design

Remedy Design

**REMEDY PLANNING** 

5


Update vulnerability assessment, Evaluate potential risks, are they risk acceptable? onsiderations

Considerations with sustainable and resilient approach

Incorporate optimal SBMPs in design Document the remaining risk that was accepted



## Risk Management



Remediation Risk Management: Is the remedy vulnerable; will a climate event disrupt remedy during project lifecycle?

**PROJECT PLANNING** 

- Resilient Risk Management: Is the selected remedy resilient to the identified vulnerabilities?
- Sustainable Risk Management: Are there unintended impacts of the remedy: environmental, economic, social - that require mitigation?

Figure 6-12 Probability of Extreme Weather Event or Wildfire occurring vs Length of Time



SITE CLOSEOUT

### OM&M – SRR Considerations



May account for high percentage of overall footprint – how can you reduce?



Timeframe is longer and more susceptible to climate change and extreme weather impacts – how do account for these potential impacts?



May include opportunities to replace equipment, reduce energy usage, reduce waste reduce noise and other impacts




#### **EXECUTION**

## **Optimization – SRR Considerations**

- Improve performance, efficiency and footprint
- Revisit design assumptions against changed or anticipated conditions
- Opportunity to transition to Adaptive Strategy

Operation OM&M Optimization 5-yr Review







## Site Reuse and Redevelopment – SRR Considerations

- Provides an opportunity to positively impact the community
- Engage stakeholders in the community
- Future climate change addressed?
- Perform vulnerability assessment
- Cost-benefit analysis




Image from www.epa.gov/land-revitalization



## SRR Case Study – Pharmacia Upjohn, CT

### SRR during characterization:

- Treat investigation derived waste on site
- Utilize existing structures
- Use passive / no purge sampling
- Use ultra low-sulphur diesel fuel
- Use electric, hybrid, CNG vehicles




Photo Source: U.S. EPA, August 2015



## SRR Case Study – Pharmacia Upjohn, CT

### SRR during remedy:

- Incorporate vegetation for carbon sequestration
- Recycled slag in barrier wall
- Onsite materials for capping and backfill
- Excavation areas as retention basins
- Local S&G for permeable barriers
- Cut and fill to avoid offsite disposal
- Use in-situ vs ex-situ soil mixing
- Support biodiversity with habitat enrichment





## SRR Case Study – Pharmacia Upjohn, CT





- ► Ecological enhancements
- New freshwater wetland
- Wetland will serve to manage site-wide stormwater management





Two-thirds of 78-acre site will be an ecological preserve. Seventeen acres will be redeveloped for commercial/industrial



## Integrating SRR Summary

Accounting for variability of climate and wildfire threats throughout every phase the Project Life Cycle can substantially reduce long-term site management risks

Early stakeholder engagement can greatly help inform the social and economic aspects for a sustainable remedy

The SRR CSM integration of climate and wildfire data along with stakeholder perspectives provides for sustainable and resilient decision making throughout the project life cycle





# Introduction Resources, History & Value of SRR Social & Economic Evaluations & Benefits Integrating SRR Sustainable Best Management Practices




## Sustainable Best Management Practices (SBMPs)

- Effective and practical methods or techniques to build or adapt a cleanup site to climate change
- Minimize impact or damage to the environment and community



### Use **SBMPs** as Project Minimums





### Sustainable Resilient Remediation





Extreme weather events and wildfires are increasing and could impact hazardous waste sites and undermine the primary goal of cleanups, which is protecting human health and the environment. Confronted with these risks, assessing and designing remedies with decades-long time frames should be reevaluated. Sustainable resilient remediation (SRR) is an optimized solution to cleaning up and reusing a hazardous waste site that limits negative environmental impacts, maximizes social and







7.1 SBMPs Universally Relevant to Extreme Weather Events and Wildfires

7.2 Wind

- 7.3 Snow and Hail
- 7.4 Fluctuating Groundwater Elevation Levels
- 7.5 Flooding
- 7.6 Bank and Shoreline Erosion
- 7.7 Pre-Wildfire
- 7.8 Post-Wildfire
- 7.9 Sea-Level Rise
- 7.10 Evapotranspiration
- 7.11 Storm Surge

#### 7.12 Permafrost Thaw



Some SBMPs are universally relevant regardless of extreme event

- Each extreme event includes:
  - An overview
  - Recommended secondary or cascading extreme events to review
  - SBMPs by phase of remediation




Figure 6-5. Expansion of CSM influences.







INTERSTATE





Table 7-1. Relevant SBMPs based on climate change factors.	Universal	Wind	Snow and Hail	Fluctuating Groundwater Elevation Levels	Flooding	<b>Bank and Shoreline Erosion</b>	Pre-Wildfire	Post-Wildfire	Sea-Level Rise	<b>Evapotranspiration</b>	Storm Surge	Permafrost Thaw
Changes in Precipitation			1	1			1		1			
Increase	х		х	х	x	х			х		Х	
Decrease	х			х			х	x		х		х
Changes in Temperature												
Increase	х					х	х	х	х			х
Decrease	x		x									
Changes in Water Level												
Increase	х			x	x	x			х		х	х
Decrease	x			x		x	x	x		х		
Other		1										
Increased storm frequency or intensity	х	х	x		x	х	x	x			х	



INTERSTATE

\* REGULATORY \*

ENVIRONMENTAL RESEARCH




## SBMPs by Extreme Event – Appendix D

APPL	CABLE?		COM	PLETE?		Extreme Event or Impact	reme Event or Impact SBMP			
Υv	N	v	Y v	N	٣	extreme event or impact				
							If an extreme event has already occurred at the site, assume the site is vulnerable to that extreme			
							event.			
							oAlso assume the site is vulnerable to associated secondary or cascading events (e.g. an event			
							that may occur as a result of the first event such as flash flooding after a wildfire) identified within	1		
						Universal	the SBMPs.	Assessing Vulnerability		
							oReview the relevant SBMPs and implement as applicable.			
							oConduct a vulnerability assessment to identify any other extreme events the site may be			
							vulnerable to. Review federal and state resources to identify local vulnerabilities. [Link to Map			
					_		tool] Review the relevant SBMPs and implement as applicable.			
							If known vulnerabilities exist at the site (e.g. it is in a floodplain or permafrost), assume the site is			
							vulnerable to those extreme events.			
							o Also assume the site is vulnerable to associated secondary or cascading events (e.g. an event			
							that may occur as a result of the first event such as flash flooding after a wildfire) identified within	1		
						Universal	the SBMPs	Assessing Vulnerability		
							oReview the relevant SBMP checklists and implement as applicable.			
							oConduct a vulnerability assessment to identify any other extreme events the site may be			
							vulnerable to experiencing. [Link to Map tool] Review federal and state resources to identify local			
							vulnerabilities. Review the relevant SBMPs and implement as applicable.			



### **Assessing Vulnerability**





### Review local vulnerability information



### **Planning and Prioritizing**



Seek and Review Traditional Ecological Knowledge (TEK)



Integrate into contracts



**Predict Financial Risks** 



### **Remedy Design and Implementation**



### Use Green Infrastructure



Stormproof Infrastructure



Document



### **Operation, Maintenance, and Monitoring (OM&M)**



Update Vulnerability Assessment



**Review CSM** (on defined and regular basis)



### **Evaluate Performance**



### **Crisis Management**



Reevaluate site boundaries and pathways



Reassess monitoring and sampling



# Revise safety procedures




### SBMP Integration: Case Study Iron Mountain Mine, Shasta County, CA

- Site Description: 4,400-acre site with historic acid mine drainage discharges to multiple waterways, including a source of drinking water.
- Remedial action objective: eliminate the mine discharges that are harmful to the environment.

### Interim Remedies:

- Source Control
  - AMD collection and treatment
  - Water management




US EPA, Cleanups in My Community



Step 1: What trigger brought the cleanup into the climate resilient SBMP process


Extreme events have occurred

- Wildfires
- Severe Storms





- Step 2: Identify and prioritize the SBMPs
- Review Wind, Pre-Wildfire, Post-Wildfire and Universally Applicable SBMPs
- ☑ Review the secondary and cascading extreme event SBMPs identified in the primary extreme event SBMPs





## SBMPs by Extreme Event – Appendix D

APPLICABLE? COMPLETE? Sxtreme Event or Impact	SBMP	Description
Y N Y N Y	T T	-
Search Search Storm Surge Bank and Shoreline Erosion Flooding Flooding Flooding Flooding	C thas already occurred at the site, assume the site is vulnerable to that extreme interimentation is vulnerable to associated secondary or cascading events (e.g. an event is result of the first event such as flash flooding after a wildfire) identified within nt SBMPs and implement as applicable. ability assessment to identify any other extreme events the site may be	
vulnerable to	<ul> <li>ew federal and state resources to identify local vulnerabilities. [Link to Map elevant SBMPs and implement as applicable.</li> <li>it is exist at the site (e.g. it is in a floodplain or permafrost), assume the site is a extreme events.</li> <li>site is vulnerable to associated secondary or cascading events (e.g. an event result of the first event such as flash flooding after a wildfire) identified within ant SBMP checklists and implement as applicable.</li> <li>Inerability assessment to identify any other extreme events the site may be experiencing. [Link to Map tool] Review federal and state resources to identify local s. Review the relevant SBMPs and implement as applicable.</li> </ul>	



## SBMPs by Extreme Event – Appendix D

APPLICABLE?           Υ         Ν	COMPLETE?	▼ Extreme Event or Impact	SBMP	Description
		Universal	If an extreme event has already occurred at the site, assume the site is vulnerable to that ex- event. oAlso assume the site is vulnerable to associated secondary or cascading events (e.g. an even that may occur as a result of the first event such as flash flooding after a wildfire) identified the SBMPs. oReview the relevant SBMPs and implement as applicable. oConduct a vulnerability assessment to identify any other extreme events the site may be vulnerable to. Review federal and state resources to identify local vulnerabilities. [Link to Ma tool] Review the relevant SBMPs and implement as applicable.	Search
		Universal	If known vulnerabilities exist at the site (e.g. it is in a floodplain or permafrost), assume the s vulnerable to those extreme events. o Also assume the site is vulnerable to associated secondary or cascading events (e.g. an eve that may occur as a result of the first event such as flash flooding after a wildfire) identified the SBMPs oReview the relevant SBMP checklists and implement as applicable. oConduct a vulnerability assessment to identify any other extreme events the site may be vulnerable to experiencing. [Link to Map tool] Review federal and state resources to identify lo vulnerabilities. Review the relevant SBMPs and implement as applicable.	Remedy Design and Implementation




## SBMPs by Extreme Event

АВ	C D E		F	G		
APPLICABLE?	COMPLETE?	Extreme Event or Impact	SBMP	Description	T,	
Y		Universal	Whenever possible use green infrastructure and natural solutions such as native plantings over impervious, man-made solutions. Green infrastructure and natural solutions are typically more resilient. Native plantings should be native to the existing climate with tolerances for the types of climate events the site is likely to experience in the near future.	Remedy Design and Implementation		
Υ		Universal	Generate primary or secondary power from on-site renewable resources independent of the utility grid. It is important to note that during extreme climate scenarios, even green infrastructure may not be sufficiently resilient to withstand weather extremes.	Remedy Design and Implementation		
N		Universal	Integrate electronic devices for remote control of equipment during extreme weather or wildfires.	Remedy Design and Implementation		
N		Universal	Integrate sensors linked to electronic control devices to trigger either shutdown of equipment or an alarm to alert workers to shut down equipment.	Remedy Design and Implementation		
N		Universal	Move or locate remedy components away from potential danger zones (USEPA 2013).	Remedy Design and Implementation		
Y		Universal	Stormproof infrastructure by repairing, retrofitting, or relocating facilities and equipment to prevent damage and disruptions during extreme weather or wildfire events.	Remedy Design and Implementation		
		Universal	Document SBMPs implemented in completion reports.	Remedy Design and Implementation		
		Universal	Evaluate the performance of the SBMPs in place following an extreme event	Operation, Maintenance & Monitoring	5	
Y		Universal	Include maintenance of the SBMPs in the site OM&M Plan and evaluate that the SBMPs are properly maintained	Operation, Maintenance & Monitoring	5	
Y		Universal	Regularly update the vulnerability assessment and adapt SBMP implementation to match any changing site conditions	Operation, Maintenance & Monitoring	5	
			Review the CSM on a defined and regular basis to determine if adaptations to remedy design and			




- Step 3: Implement the applicable and prioritized SBMPs
- ✓ Replace portions of the treatment system with nonflammable stainless steel
- Add redundancies in the treatment system
- Develop vegetation management especially with plants that effectively spread fires
- Continue and increase coordination with local emergency responders
- □ Update the Emergency Preparedness Plan
- □ Update the Asset Management Plan





Step 4: Evaluate the effectiveness of the SBMPs

- Cal Fire on-site visits to advise on fire prevention measures
- □ 5-year review assessments






### Step 5: Re-evaluate vulnerabilities


Consideration of climate change in the final sitewide RI/FS is being assisted by running climate change scenarios in the Water Quality Model.

□ 5-year review






### **SBMP** Conclusion





### **SBMP** Summary





## Thank you for attending!

- Email further questions on today's session to: <u>training@itrcweb.org</u>
- Sustainable Resilient Remediation Training & Feedback Form & Certificate of Completion:

https://clu-in.org/conf/itrc/srr

# Questions



